



BRAVECTO
PREVENT
THE TRANSMISSION
OF *BABESIA* WITH
JUST ONE DOSE


Babesiosis is a serious disease transmitted to dogs by tick bites. Ticks need to feed on the dog for more than a day for transmission to occur.



ANEMIA

BLOOD CELL BREAKDOWN

WEAKNESS



Babesia protozoa infect red blood cells, causing their rupture



BRAVECTO[®] CHEW AND BRAVECTO[®] SPOT-ON FOR DOGS

A single treatment effectively prevents the transmission of *Babesia canis* by infected ticks** over a 12-week period^{1,2}



ELIMINATE TICKS WITH BRAVECTO

Prevent the transmission of *Babesia* while providing your dog with extended duration protection against fleas and ticks in a single dose.

Ask us about BRAVECTO today!

* BRAVECTO [prescribing information]. Madison, NJ: MSD Animal Health; 2014.
BRAVECTO SPOT-ON [prescribing information]. Madison, NJ: MSD Animal Health; 2016.
** Based on studies conducted on *Dermacentor reticulatus*

1. Taenzler J et al. Parasites & Vectors 2015; 8:305
2. Taenzler J et al. Parasites & Vectors 2016; 9:234

© 2020 Intervet International B.V., also known as MSD Animal Health. All rights reserved.
GL-BRV-200600008

