

To defeat Gumboro, balance is more important than brute force



Visit www.gumboro.com

Gumboro.com is the world's most comprehensive Gumboro website, dealing with all aspects of the disease.

Gumboro.com provides authoritative information on disease prevalence and pathogenesis, the various control options, the latest research findings and trial data, and much more.

Suggested vaccination schedule

Future layers/breeders	Day	Broilers	Day
Parents vaccinated with an inactivated vaccine.	21 - 28*	Parents vaccinated with an inactivated vaccine.	14 - 17*
Parents not vaccinated with an inactivated vaccine.	14 - 24	Parents not vaccinated with an inactivated vaccine.	8 - 12

*When MDA titres are uniform, one vaccination will normally be sufficient.

Description

Nobilis Gumboro 228E is a live freeze-dried vaccine against Infectious Bursal Disease (IBD) containing at least 2.0 log₁₀ EID₅₀ per dose.

Indication

Active immunisation of chickens against Gumboro disease (IBD).

Administration

The vaccine can be administered through the drinking water.

Presentation

Nobilis Gumboro 228E is available in vials containing 1,000 or 2,500 doses.



Nobilis[®] Gumboro 228E

No. 1 in global Gumboro control

 Intervet International bv

 PO Box 31, 5830 AA Boxmeer

 The Netherlands

 Phone: +31 (0)485 587600

 Fax: +31 (0)485 577333

 E-mail: info@merck.com

 www.msd-animal-health.com



Nobilis[®] Gumboro 228E

To defeat Gumboro, balance is more important than brute force



Nobilis Gumboro 228E: power plus balance

In vaccination against Gumboro disease, there are two conventional choices:

- Intermediate vaccines have few side effects but limited efficacy against vvIBD in the field or in situations of high infection pressure.
- **Hot vaccines** have a powerful and aggressive action, but can damage the bursa, impairing the immune response and the response to other vaccinations.


Nobilis Gumboro 228E gives you a more balanced option - an Intermediate Plus vaccine combining the power of a hot vaccine with the safety of an intermediate vaccine.




Unrivalled protection, without immuno-suppression

Nobilis Gumboro 228E has greater power to break through higher titres of maternally-derived antibodies (MDA) than intermediate vaccines, but without immuno-suppression, as demonstrated by:

- Extensive laboratory trials
- Pathological examination of the bursa
- Performance in world-wide Gumboro outbreaks.







Field Study, France


Permission was granted by the French government to use Nobilis Gumboro 228E against a series of vvIBD outbreaks in a major poultry-producing region of France. Performance data was collected from over 170 million broilers, comprising:

- 151 flocks prior to the outbreak.
- 237 flocks during the outbreak, vaccinated with an intermediate vaccine.
- 252 flocks vaccinated with Nobilis Gumboro 228E during the outbreak.


Results

- Intermediate vaccines failed to prevent fresh outbreaks.
- Nobilis Gumboro 228E provided effective protection.
- Profitability of flocks vaccinated with Nobilis Gumboro 228E returned to the levels recorded prior to the Gumboro outbreak.

Average flock mortality



Average margin per m²




Nobilis Gumboro 228E trials in Thailand

Two trials were conducted with commercial broiler flocks in Thailand, comparing the effects of vaccination with Nobilis Gumboro 228E and a widely used "hot" vaccine. In Trial 1, vaccination was at 14 days; in Trial 2, at 14 and 21 days.


Results

- Both vaccines controlled Gumboro, but the Nobilis Gumboro 228E-vaccinated flocks performed better.
- Flocks vaccinated with the "hot" vaccine showed an incidence of bursal atrophy 3.5 times higher than those vaccinated with Nobilis Gumboro 228E.
- Conclusion: Nobilis Gumboro 228E provides effective protection with minimal bursal damage and no negative effect on performance.

Performance Index



Bursal Atrophy



Nobilis Gumboro 228E

Competitor vaccine